

Sector analysis for a FTSE portfolio of stocks

R. Coelho^a, S. Hutzler^a, P. Repetowicz^a and P. Richmond^a

^a*School of Physics, Trinity College Dublin, Dublin 2, Ireland*

Abstract

Using a portfolio of stocks from the London Stock Exchange FTSE100 index (FTSE), we study both the time dependence of their correlations and the normalized tree length of the associated minimal spanning tree (MST). The first four moments of the distribution of correlations and lengths of the tree are examined in detail and differences in behaviour noted. For different economic groups and industries, clustering is evident. However comparing the classification used prior to 2006 with that introduced in January 2006 it is clear that the new classification, apart from one or two notable exceptions, is much more compatible with the clustering obtained by the MST analysis. We finally compare the MST for real data with that obtained for a synthetic *random market*. The latter tree would seem more like the structure found by Coronello *et al.* for trees based on high frequency data.

Key words: Econophysics, minimal spanning trees, sector analysis, stock correlations, random time series.

PACS: 89.65.Gh

1 Introduction

During the past decade, many physicists have used techniques of statistical physics and complexity to study economic and financial problems [1,2] and the associated networks [3]. Networks play a crucial role in these systems simply because trading activity generates networks. Studying stock networks, where the links represent similarities between stocks, can prove very valuable for portfolio optimization [4,5].

A challenging problem is the nature of stock time series and, in particular, the nature of their randomness [5,6,7]. Recently the theory of random matrices has proved helpful to characterize the time series [8,9]. In this paper we use

Email address: coelhorj@tcd.ie (R. Coelho).

the concept of a minimal spanning tree (MST) proposed by Mantegna [10], to examine the correlations for stocks from the London FTSE100 index.

We review briefly the method in the next section and explain how we choose the time parameters in Section 3. In Section 4, we use the approach to examine a portfolio of stocks selected from the London FTSE100 index. In Section 5, we examine in more detail the results for individual stock sectors. For different economic groups and industries, clustering derived in Section 4 is evident. However comparing in Section 6 the classification used prior to 2006 with that introduced in January 2006 it is clear that the new classification, apart from one or two notable exceptions, is much more compatible with the clustering obtained by the MST analysis. We finally compare in Section 7 the MST for real data with that obtained for a synthetic random and close with a few conclusions.

2 Definitions

Our main goal is to detect any underlying structure of a portfolio, such as clustering, or identification of key stocks. We start by computing the correlation coefficient between time series of log-returns of pairs of stocks. From these correlations we can compute a *distance*, for each pair, which is used for the construction of a network with links between stocks.

The 100 most highly capitalized companies in the UK that comprise the London FTSE100, represent approximately 80% of the UK market. From these 100 stocks, we study the time series of the daily closing price of $N = 67$ stocks that have been in the index continuously over a period of almost 9 years, starting in 2nd August 1996 until 27th June 2005. This equals 2322 trading days per stock. For our analysis of the time dependence of correlations and distances, time series are divided in small time windows, each with width T , that will overlap each other. The total number of windows depends on the window step length parameter, δT .

2.1 Correlations

The correlation coefficient, ρ_{ij} between stocks i and j is given by:

$$\rho_{ij} = \frac{\langle \mathbf{R}_i \mathbf{R}_j \rangle - \langle \mathbf{R}_i \rangle \langle \mathbf{R}_j \rangle}{\sqrt{(\langle \mathbf{R}_i^2 \rangle - \langle \mathbf{R}_i \rangle^2) (\langle \mathbf{R}_j^2 \rangle - \langle \mathbf{R}_j \rangle^2)}} \quad (1)$$

where $\mathbf{R}_i$ is the vector of the time series of log-returns, $R_i(t) = \ln P_i(t) - \ln P_i(t-1)$ the log-return and $P_i(t)$ the daily closure price of stock i at day t . The notation $\langle \dots \rangle$ means an average over time $\frac{1}{T} \sum_{t'=t}^{t+T-1} \dots$, where t is the first day and T is the length of our time series.

This coefficient can vary between $-1 \leq \rho_{ij} \leq 1$, where -1 means completely anti-correlated stocks and $+1$ completely correlated stocks. If $\rho_{ij} = 0$ the stocks i and j are uncorrelated. The coefficients form a symmetric $N \times N$ matrix with diagonal elements equal to unity.

Following Onnela *et al.* [5,11], we analyse the distribution of correlations in time. The first moment is the mean correlation:

$$\bar{\rho} = \frac{2}{N(N-1)} \sum_{i < j} \rho_{ij} \quad (2)$$

Other moments are similarly defined, the variance:

$$\lambda_2 = \frac{2}{N(N-1)} \sum_{i < j} (\rho_{ij} - \bar{\rho})^2, \quad (3)$$

the skewness:

$$\lambda_3 = \frac{2}{N(N-1)\lambda_2^{3/2}} \sum_{i < j} (\rho_{ij} - \bar{\rho})^3, \quad (4)$$

and the kurtosis:

$$\lambda_4 = \frac{2}{N(N-1)\lambda_2^2} \sum_{i < j} (\rho_{ij} - \bar{\rho})^4. \quad (5)$$

Evaluation of these moments for time windows of width T reveals the dynamics of the time series. The higher moments explain how the variance of correlation coefficients increase or decrease and how the skewness and kurtosis of the distribution changes. As we will see in Section 4, these moments show different behaviour after crashes or financial days with significant news.

2.2 Distances

The metric distance, introduced by Mantegna [10], is determined from the Euclidean distance between vectors, $d_{ij} = |\tilde{\mathbf{R}}_i - \tilde{\mathbf{R}}_j|$. Here, the vectors $\tilde{\mathbf{R}}_i$

are computed from $\mathbf{R}_i$ by subtracting the mean and dividing by the standard deviation:

$$\tilde{\mathbf{R}}_i = \frac{\mathbf{R}_i - \langle \mathbf{R}_i \rangle}{\sqrt{\langle \mathbf{R}_i^2 \rangle - \langle \mathbf{R}_i \rangle^2}}$$

Using the definition of correlation coefficient (eq. 1), $\rho_{ij} = \tilde{\mathbf{R}}_i \cdot \tilde{\mathbf{R}}_j$ and noting that $|\tilde{\mathbf{R}}_i| = 1$ it follows that:

$$d_{ij}^2 = |\tilde{\mathbf{R}}_i - \tilde{\mathbf{R}}_j|^2 = |\tilde{\mathbf{R}}_i|^2 + |\tilde{\mathbf{R}}_j|^2 - 2\tilde{\mathbf{R}}_i \cdot \tilde{\mathbf{R}}_j = 2 - 2\rho_{ij}$$

This relates the distance of two stocks to their correlation coefficient:

$$d_{ij} = \sqrt{2(1 - \rho_{ij})} \quad (6)$$

This distance varies between $0 \leq d_{ij} \leq 2$ where small values imply strong correlations between stocks.

Following the procedure of Mantegna [10], this distance matrix is now used to construct a network with the essential information of the market. This network is a minimal spanning tree (MST) with $N - 1$ links connecting N nodes. The nodes represent stocks and the links are chosen such that the sum of all distances (normalized tree length) is minimal. We perform this computation using Prim's algorithm [12].

The normalized tree length, again following Onnela *et al.* [5,11], is given by

$$L = \frac{1}{N - 1} \sum_{d_{ij} \in \Theta} d_{ij} \quad (7)$$

where Θ represents the MST. We also compute its higher moments (variance, skewness and kurtosis) and compare with the equivalent moments of the correlations.

3 Determination of time parameters

Depending on the length of the time series, the correlation coefficient between two stocks changes. Thus the distance between the two stocks will be different and the MST constructed will have different characteristics. In order to select appropriate values for the size of time windows (T) and window step length parameter (δT) we looked at early studies in this field. As shown previously

[5], the first and second moment of the correlations (mean correlation and variance) are strongly correlated. Taking this into account, we computed the value of this correlation as a function of T and δT (Figure 1).




Figure 1. Correlation between the first two moments of the correlation coefficient (mean, eq. 2 and variance, eq. 3) as a function of T and δT . The left graphic shows the correlation for different T as function of δT . The right graphic shows the correlation for $\delta T = 1$, as function of T .

Clearly, for all T , the correlation between the two moments is not only positive but strong, above 0.9 for $T = 750$, $T = 1000$ and $T = 1250$. Apart from $T = 250$ and $T = 1750$ there are only very small fluctuations for the correlation value, when we vary δT . Since when we increase δT , we are essentially removing points from our data, we decided to use the smallest value of δT (1 day) in all of the following.

Some events such as wars or crashes occurred during the period of study and are noted in Figure 2 that shows the absolute return of the FTSE Index. After these occurrences, which have a negative effect on stock values, all the stocks seems to follow each other, and both the correlation between them and mean correlation increase [13]. Now even if the correlation between mean correlation and variance increases when we increase T , the curve of mean correlation is based on less information. So the choice of T becomes something of a compromise. We choose $T = 500$ (2 years) and $\delta T = 1$ (1 day) to compute our moments for the correlations and distances.




Figure 2. Absolute return of the FTSE Index. Higher values indicate special days like beginning of wars or crashes. 1) Russian crash; 2) NASDAQ crash; 3) Beginning of US recession; 4) 11th September 2001; 5) Stock Market downturn of 2002; 6) Beginning of Iraq War.

4 Analysis of Global Portfolio of FTSE100 index

The time dependence of the mean correlation, the normalized tree length and the higher moments associated with these two quantities were studied for a time window, $T = 500$ and window step length, $\delta T = 1$. Figure 3 shows that the mean and variance of the correlation coefficients are highly correlated (0.779), the skewness and kurtosis are also highly correlated and the mean and skewness are anti-correlated. This implies that when the mean correlation increases, usually after some negative event in market, the variance increases. Thus the dispersion of values of the correlation coefficient is higher. The skewness is almost always positive, which means that the distribution is asymmetric, but after a negative event the skewness decreases, and the distribution of the correlation coefficients becomes more symmetric.




Figure 3. Mean (eq. 2), variance (eq. 3), skewness (eq. 4) and kurtosis (eq. 5) of the correlation coefficients. We use time windows of length $T = 500$ days and window step length parameter $\delta T = 1$ day. For each moment $((T_{total} - T)/\delta T = 1822)$ data points are shown.

From Figure 4, we see how the normalized tree length changes with time. As expected from equation 6, when the mean correlation increases, the normalized tree length decreases and vice versa. Here, the mean and the variance of the normalized length of the tree are anti-correlated but the skewness and the mean continue to be anti-correlated. This means that after some negative event impacts the market, the tree shrinks, so the mean distance decreases [13], the variance increases implying a higher dispersion of the values of distance and the skewness, that is almost always negative, increases showing that the distribution of the distances of the MST gets more symmetric.




Figure 4. Mean (eq. 7), variance, skewness and kurtosis of the normalized tree length. We use time windows of length $T = 500$ days and window step length parameter $\delta T = 1$ day. For each moment there are 1822 points represented.

Figure 5 is an enlarged version of the top graphic of Figure 4. This shows

the mean of the normalized tree length. As can be seen, after some of the events shown in Figure 2: the Russian Crash (October 1998), Dot-Com Bubble (March 2000), the beginning of US recession (March 2001), attack to the Twin Towers (11th September 2001), the Stock Market Downturn of 2002 with accounting scandals (a long period between March 2002 and October 2002) and the beginning of Iraq War (March 2003) the normalized tree length decreases.




Figure 5. Normalize tree length in function of time. Different external events affect the market. 1) Russian crash; 2) NASDAQ crash; 3) US recession; 4) 11th September 2001; 5) Stock Market Downturn of 2002; 6) Iraq War.

5 Sector Analysis

A study of stocks such as the one considered here give us a insight into the behavior with time of the market. A specific study of each sector of the market is also of interest. We have studied two different classifications. First we consider the old classification for the London FTSE100, the FTSE Global Classification System [14], that was in use from 2003 until the end of 2005. This classification groups the stocks into 102 Subsectors, 36 Sectors and 10 Economic Groups. Our portfolio is composed of 9 economic groups and 27 sectors: Resources (Mining, Oil & Gas), Basic Industries (Chemicals, Construction & Building Materials), General Industrials (Aerospace & Defense), Non-cyclical Consumer Goods (Beverages, Food Producers & Processors, Health, Personal Care & Household Products, Pharmaceuticals & Biotechnology, Tobacco), Cyclical Services (General Retailers, Leisure & Hotels, Media & Entertainment, Support Services, Transport), Non-cyclical Services (Food & Drug Retailers, Telecommunication Services), Utilities (Electricity, Utilities-Others), Financials (Banks, Insurance, Life Assurance, Investment Companies, Real

Estate, Speciality & Other Finance) and Information Technology (Software & Computer Services).

The second classification studied is the new classification adopted by FTSE since the beginning of 2006, the Industry Classification Benchmark [15] created by Dow Jones Indexes and FTSE. This classification is divided into 10 Industries, 18 Supersectors, 39 Sectors and 104 Subsectors. Our portfolio is composed of 10 industries and 28 sectors: Oil & Gas (Oil & Gas Producers), Basic Materials (Chemicals, Mining), Industrials (Construction & Materials, Aerospace & Defense, General Industrials, Industrial Transportation, Support Services), Consumer Goods (Beverages, Food Producers, Household Goods, Tobacco), Health Care (Health Care Equipment & Services, Pharmaceuticals & Biotechnology), Consumer Services (Food & Drug Retailers, General Retailers, Media, Travel & Leisure), Telecommunications (Fixed Line Telecommunications, Mobile Telecommunications), Utilities (Electricity, Gas Water & Multiutilities), Financials (Banks, Nonlife Insurance, Life Insurance, Real Estate, General Financial, Equity Investment Instruments, Nonequity Investment Instruments) and Technology (Software & Computer Services).

For the old classification, the four economic groups with more stocks are the Non-cyclical Consumer Goods (13), Cyclical Services (21), Non-cyclical Services (6) and Financials (13). For each one of these groups we have repeated the above analysis of moments.




Figure 6. Mean and variance of the correlation coefficients for different economic groups, from the FTSE Global Classification System, in comparison with the global portfolio.

As can be seen, not all the economic groups behave like the global portfolio.

Looking at the mean correlation, the Financial group is much more correlated than all the other groups. If we analyse the variance, the Financial and Non-cyclical Services groups loose the global property where the first two moments of the correlation coefficients are correlated.

For the new classification, the four industries with more stocks are the Industrials (10), Consumer Goods (9), Consumer Services (18) and Financials (13). The mean and variance of the correlation coefficients for these industries are presented in Figure 7.




Figure 7. Mean and variance of the correlation coefficients for different industries, from the ICB, in comparison with the global portfolio.

With this classification, all the industries loose the global property where the first two moments of the correlation coefficients are correlated.

6 Minimal Spanning Trees

For a topological view of the market we plot the MST with all the nodes (stocks) and links between them (distances). For each classification we analyse the cluster formation of different economic groups (FTSE Global Classification System) or industries (ICB).

Starting with the analysis due to the old classification we represent each economic group by a different symbol: Resources (■), Basic Industries (△), General Industrials (◆), Non-cyclical Consumer Goods (□), Cyclical Services (▲),

Non-cyclical Services ($\diamond$), Utilities ($\bullet$), Financials (gray $\circ$) and Information Technology ($\circ$).

Figure 8, shows the MST with clusters of specific economic groups. Stocks from the Financial group are the backbone of this tree. It seems that all the other groups are connected to this one. The Financials, Resources, Utilities and General Industrials groups have all their stocks connected together. However for other groups divisions of stocks in sectors are apparent. For example, in the Non-cyclical Services, the Food & Drug Retailers are completely separated from the Telecommunication Services. Within Cyclical Services, the General Retailers, Media & Entertainment and Transports are 3 different clusters and the Support Services are isolated stocks connected to the Financial branch. In Non-cyclical Consumer Goods, the Health and Pharmaceuticals & Biotechnology form one cluster whereas Beverages, Tobacco, Food Producers & Processors and Personal Care & Household Products form another.




Figure 8. Minimal Spanning Tree for the FTSE100 stocks. The length of the time series used to compute this tree is 2322 days. Each symbol correspond to a specific economic group from the FTSE Global Classification System.

For the new classification, we represent each industry by a symbol: Oil & Gas ($\blacksquare$), Basic Materials ($\triangle$), Industrials ($\blacklozenge$), Consumer Goods (gray $\square$), Health Care ($\square$), Consumer Services ($\blacktriangle$), Telecommunications ($\diamond$), Utilities ($\bullet$), Financials (gray $\circ$) and Technology ($\circ$). The MST is represented in Figure 9. The Financial industry has the same stocks as the one in the old classification, so it still works as the backbone of the tree. Financials, Oil & Gas, Utilities, Telecommunications and Consumer Goods have all their stocks connected together. In the Consumer Services, the supersectors Retail and Media are two big clusters but they are not connected together. The other supersector from

this industry, the Travel & Leisure is disperse in the tree. Health Care industry is almost one cluster, but the stock SHP is not connected to the others. In the Industrials industry the stocks from the Support Services sector are always connected to the Financial industry. The other stocks in this sector are located in isolation at other points within the tree.




Figure 9. Minimal Spanning Tree for the FTSE100 stocks. The length of the time series used to compute this tree is 2322 days. Each symbol correspond to a specific industry from the ICB.

The new classification adopted by FTSE in January 2006 clearly mimics much more closely the MST results as we can see from Figures 8 and 9. The implementation of the new supersector groups ensures that apart from some notable exceptions stocks from the same supersector are now connected. It is possible that the few stocks separated from their main cluster are isolated by chance and over time they will join the appropriate clusters. However there could be other more fundamental reasons for their separation. Further study of both the dynamics of the MST correlations together with their economic indices (*e.g.* PE ratio, earnings, etc) that characterize the businesses concerned is necessary to resolve these issues. Nevertheless it seems clear from this analysis that the MST approach is one that should complement current approaches to the development of stock taxonomy.

Coronnello *et al.* [16] have studied the topology of the London FTSE using daily and intra-day data for $N = 92$ stocks, from year 2002. The MST for daily data looks quite different from the one shown in Figure 8. Using our data and studying the MST for each year, we can see that for 2002, the main hubs of the MST are BARC, RBS and SHEL, each of them with 11, 8 and 7 links, respectively. The simple inclusion of BARC in our study (not included

in the portfolio of [16]) gives a quite different network. But the main clusters are the same in the two studies.

7 Numerical Simulations of MST

In order to examine further the underlying nature of the time series we use now random time series computed from two different models. Modeling the log-returns as random numbers from a specific distribution, we can compute the correlations, distances and trees for this random series. As in [6,7], our first approach was to consider the returns as random variables derived from a Gaussian distribution. So, using the real mean value, μ_i of each real time series and the specific real variance, σ_i we compute random series for our *random market*:

$$r_i(t) = \mu_i + \epsilon_i(t)$$

where $\epsilon_i(t)$ is the stochastic variable from a Gaussian distribution with variance σ_i . The MST for this random time series is represented in Figure 10.




Figure 10. Minimal Spanning Tree for 67 random time series using random variables from a Gaussian distribution.

This MST shows no clustering, the stocks are distributed randomly in the network and there is no stock with more than 4 links. To create random time series with more real characteristics we introduce a control term (the return

of FTSE Index) and we compute a one-factor model [6,7]:

$$r_i(t) = \alpha_i + \beta_i R_m(t) + \epsilon_i(t)$$

where α_i and β_i are parameters estimated by the least square method from our data, $R_m(t)$ is the market factor (return of FTSE Index) and $\epsilon_i(t)$ is the stochastic variable from a Gaussian distribution with variance σ_i . The two factors are calculated as:

$$\alpha_i = \langle R_i(t) \rangle - \beta_i \langle R_M(t) \rangle$$

$$\beta_i = \frac{cov(R_i(t), R_M(t))}{\sigma_{R_M}^2}$$

where $cov(\dots, \dots)$ is the covariance, $\sigma_{R_M}^2$ is the variance of the returns of FTSE Index and $R_i(t)$ is the returns of real stock i .

The MST for random time series created using this model is shown in Figure 11.




Figure 11. Minimal Spanning Tree for 67 random time series using the one-factor model.

This network is completely different from the previous random network. Now we see that the stocks from the Financial group (gray $\circ$), are all linked together. As in the MST for real data (figures 8 and 9) they act as the backbone of the network. However, the presence of 6 nodes with up to 13 links differs from the topology of real data. A model to describe the time series of log-return

seems to lie somewhere between a completely random model and an one-factor model. The completely random model does not give much information. However, apart from producing the Financial group backbone, the one-factor model shows similar topology with the MST shown by Coronello *et al.* [16] for intra-day data. This suggests that the network formed by intra-day data are not fully formed, information as not yet sufficiently spread and correlations are not yet developed as they are found in the networks formed using daily data.

8 Conclusions

In summary, we have studied the correlations between time series of log-return of stocks from a FTSE100 portfolio and examine how these change with both the size of the time series and time. The mean correlation increases after external crises, and different moments feature correlations or anti-correlations as a result. For the study of specific stocks of each sector we conclude that some sectors have different feedback to the external events.

From the MST we can see that some stocks from the same sector cluster together. This does not happen with all stocks from specific economic groups or industries. It would seem from the MST analysis that the new FTSE classification introduced in January 2006 offers a more logical clustering of the different stocks as opposed to the previous classification scheme. However from the MST it is clear that anomalies are still present that could affect the building of optimum portfolios.

The structure of trees generated from random time series differs significantly from real markets. Furthermore there appears to be no obvious hub node. On the other hand the one-factor model produces a MST where we can see hubs with many links. This kind of structure is close to that obtained using intra-day data. In future papers we shall assess changes in the tree structures using one-factor model Levy distributions. We shall also look at this issue by deriving analytic expressions linking the moments of correlations to the moments of the lengths.

Acknowledgements

This publication has emanated from research conducted with the financial support of Science Foundation Ireland (04/BRG/PO251). The authors also acknowledge the help of COST (European Cooperation in the Field of Scientific and Technical research) Action P10.

References

- [1] R. N. Mantegna and H. E. Stanley, *An Introduction to Econophysics: Correlations and Complexity in Finance*. Cambridge University Press, Cambridge (2001)
- [2] J.-P. Bouchaud and M. Potters, *Theory of Financial Risk and Derivative Pricing*. Cambridge University Press, Cambridge (2003)
- [3] S. N. Dorogovtsev and J. F. F. Mendes, *Evolution of Networks: From Biological Nets to the Internet and WWW*. Oxford University Press, Oxford (2003)
- [4] V. Tola, F. Lillo, M. Gallegati and R. N. Mantegna, preprint physics/0507006
- [5] J.-P. Onnela, A. Chakraborti, K. Kaski, J. Kertész and A. Kanto, Phys. Rev. E **68**, 056110 (2003)
- [6] G. Bonanno, G. Caldarelli, F. Lillo and R. N. Mantegna, Phys. Rev. E **68**, 046130 (2003)
- [7] G. Bonanno, G. Caldarelli, F. Lillo, S. Micciché, N. Vandewalle and R. N. Mantegna, Eur. Phys. J. B **38**, 363 (2004)
- [8] L. Laloux, P. Cizeau, J.-P. Bouchaud and M. Potters, Phys. Rev. Lett. **83**, 1467 (1999)
- [9] V. Plerou, P. Gopikrishnan, B. Rosenow, L. A. N. Amaral and H. E. Stanley, Phys. Rev. Lett. **83**, 1471 (1999)
- [10] R. N. Mantegna, Eur. Phys. J. B **11**, 193 (1999)
- [11] J.-P. Onnela, A. Chakraborti, K. Kaski and J. Kertész, Eur. Phys. J. B **30**, 285 (2002)
- [12] R. C. Prim, Bell System Technical Journal **36**, 1389 (1957)
- [13] J.-P. Onnela, A. Chakraborti, K. Kaski and J. Kertész, Physica A **324**, 247 (2003)
- [14] <http://www.ftse.com>
- [15] <http://www.icbenchmark.com/>
- [16] C. Coronello, M. Tumminello, F. Lillo, S. Micciche and R. N. Mantegna, Acta Physica Polonica **36** (9), 2653 (2005)